


Part Number: CT16-15954
Fixture ID: CT16-15954

24 Aug 2015 11:01
Page 1 of 3

Voltech AT Series Test Program Editor v3.47.30

Filename: CT16-15954.atp

Schematic



Part Number: CT16-15954	24 Aug 2015 11:01
Fixture ID: CT16-15954	Page 2 of 3
Voltech AT Series Test Program Editor v3.47.30	Filename: CT16-15954.atp

Options

Results Printing: Off
 Operator Numbering: Off
 Batch Numbering: Off
 Serial Numbering: Off
 Send Results to Server: Off
 Send Retry Results to Server: Off
 Stop On Fail: Off
 Date and Time on Reports: Off
 AQL Number of Parts: Off
 AQL Percentage of Parts: Off
 Program runs between audits: 10
 External Source: None
 Display text on AT: Off

General Tests

1. Winding Resistance

Integration: Medium
 High Terminal: 1 Low Terminal: 4
 User Offset: 0.0000 Ohms
 Maximum Value: 760.00 mOhms

2. Winding Resistance

Integration: Medium
 High Terminal: 2 Low Terminal: 5
 User Offset: 0.0000 Ohms
 Maximum Value: 760.00 mOhms

3. Winding Resistance

Integration: Medium
 High Terminal: 9 Low Terminal: 7
 User Offset: 0.0000 Ohms
 Maximum Value: 212.00 mOhms

4. Turns Ratio

Test Voltage: 1.0000 V
 Test Frequency: 10.000 kHz
 Integration: Medium
 Terminals:
 Energised High: 1 Energised Low: 4
 Primary High: 1 Primary Low: 4
 Secondary High: 7 Secondary Low: 9
 User Offset: 0.0000
 Turns Ratio: 1:0.082
 Minimum Error: -03.00% Maximum Error: 03.00%
 Polarity Test: Positive
